

InGutter howtos

© Indiscripts.com | Nov. 2009

Sandbox

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porecturest illuptas eum nihilluptate expla sequae eturibus con rectae pra viderib eratemque nonse est qui volupta temoluptate la num re ni aliquat iandelibus escienda saest peris con cupta naturibus. Ebis et, volorec tioremq uibeate voluptatqui

valor magnam quatquodi sa si natur, temposa ndelita spelian tinciendam. Landia eat que laut apis aut lia nonse volorit aut in reperia cusam rem adi comnia ni voluptaerion non nobitatem exped qui dion nobissitat. Occum qui dolupta quam, to dis ellam faccupptum dolupta quam, cum re opta dolestem quo expliqui aliqe nistis dolectibus di doluptaspel ipitisquat. Berchilibus que

est optatiust autem simintius quatur? Volorehenet que am ilia parupta conserion prem non ea quae etur, saperit, volupta erciisi quam simolum re sequi commimus, sunt.

About the Author

Am qui voluptate endae doluptio. Namus miniatis qui dolore plam, cusam et lisquatusam qui dusdae sinulla utaecio con natet eos dolorem

illaborit verfers perspe lia veluptat utet de ipsusapide non culpa ius quo tem sectent optatia doluptam inient, verupta dollorum sequiam nestrum in ressimi ncillupidit officitas nobitas nonet haruntibus. Met mod quatemporis acestdam quia niatur? Ad quiscia vel ilis quos rempor sintatios ratis at. Xereici cullis dolorum nima nos dis et optat modis diat.

1

GETTING STARTED

1. Download InGutter from <indiscripts.com>. Right-click [InGutter.zip](#) and choose Save Target / Link As.
2. Extract [InGutter.jsxbin](#) from the zip file, then place the script in your InDesign script folder.
3. Create a keyboard shortcut —e.g. [Cmd Alt B](#)— to easily run the script from any context.
4. Open a document, create and fill a sample text frame (like the one above).
5. Select the text frame or put the insertion point within. Run [InGutter](#).

- InGutter requires InDesign CS3 or CS4 (recommended) and works on both Mac and Win platforms.
- By default, the script creates a set of black solid rules on both sides of every columns.
- Keep in mind that the script can adjust the left/right inset spacing of the text frame (in order to center the rules in the gutter).

InGutter howtos

© Indiscripts.com | Nov. 2009

Sandbox

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porecturest illuptas eum nihilluptate expla sequae eturibus con rectae pra viderib eratemque nonse est qui volupta temoluptate la num re ni aliquat iandeb libus esciendae saest peris con cupta naturibus. Ebis et, volorec tioremq uibeate

voluptatqui volor magnam quatquodi sa si natur, temposa ndelita spelian tinciendam. Landia eat que laut apis aut lia nonse volorit aut in reperia cusam rem adi commia ni voluptaerion non nobitatem exped qui dion nobissitat. Occum qui doluptaquam, to dis ellam faccuptum dolupta quam, cum re opta dolestem quo expliqui alike nistis

dolectibus di doluptaspel ipitisquat. Berchilibus que est optatiust autem simintius quatur? Volorehenet que am ilia parupta conserion prem non ea quae etur, saperit, volupta erciisi quam simolum re sequi comnimus, sunt.

About the Author

Am qui voluptate endae doluptio. Namus minia-

tisqui dolore plam, cusam et lisquatusam qui dusdae sinulla utaetio con natet eos dolorem illaborit verfers perspe lia velluptat utet de ipsusapide non culpa ius quo tem sectent optatia doluptam inient, verupta dollorum sequiam nestrum in ressimi ncillupidit officias nobitas nonet haruntibus. Met mod quatemporis acestendam quia niatur? Ad

2

POSITIONNING THE RULES

1. Set the **Gutter** of the text frame from the script dialog. (You can also change the number of columns.)
2. When **Rule Offset** = 0, the rules are centered within the gutter. To move the rules to the right, increase the offset. To move the rules to the left, decrease the offset. (If you overset the Rule Offset, InGutter automatically enlarges the Gutter.)
3. Select the **Location** option (Inner, Left, Right, Side or All Rules).
4. Set **Overflow** to a positive value to make the rules extend out of the frame bounds. Use a negative value to reduce the rule length.

■ Note that **Vertical Spacing** is equivalent to the **Inset Spacing Top/Bottom** fields of the **Text Frame Options** dialog. It has no effect on the rules themselves.

■ InGutter uses, displays and converts the values according to your preferred rulers units. If you type "1mm" in a field expecting inches, the value will be changed to 0.039 in.

InGutter howtos

© Indiscripts.com | Nov. 2009

Sandbox

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porectu rest illuptas eum nihillupitate expla seuae eturibus con rectae pra viderib eratunque nonse est qui volupta temoluptate la num re ni aliquat iandelibus esciendae saest

peris con cupta naturibus. Ebis et, volorec tioremq uibeate voluptat qui valor magnam quatquodi sa si natur, temposa ndelita spelian tinciedam.

Landia eat que laut apis aut lia nonse volorit aut in reperia cusam rem adi comnia ni voluptaerion non nobitatem exped qui dion

nobissitat. Occum qui doluptaquam, to dis ellam faccuptum dolupta quam, cum re opta dolestem quo expliqui aliue nistis dolectibus di doluptaspel ipitis quat. Berchilibus que est optatiust autem simintius quatur? Volore- henet que am ilia parupta conserion prem non ea quae etur, saperit, vo-

lupta erciisi quam simolum re sequi commimus, sunt.

About the Author

Am qui voluptate simintius endae doluptio. Namus miniatis qui dolore plam, cusam et lisquatua sam qui dusdae si nulla utaecio con natet eos dolorem quatu? Volore- henet que am ilia parupta conserion prem non ea quae etur, saperit, vo-

tisqui dolore plam, cusam et lisquatua sam qui dusdae sinulla utaecio con natet eos dolorem quatu? Volore- henet que am ilia parupta conserion prem non ea quae etur, saperit, vo-

3

RESIZING THE BLOCK

- Once you have attached a rule set to a text frame by the means of InGutter, the two components are combined into a group. To resize the whole block, select the group and drag any handle using the Selection Tool (V).
- To resize the block to a precise size, select the group and enter the size in the width (W) or height (H) fields on the Transform/Control Panel.
- The rules fit automatically.

■ On transforming an InGutter block, a common mistake is to target the sole text frame instead of selecting the whole group. If the text frame is selected, use the Select Container button from the Control panel.

■ You can apply many transformations to the group (rotation, scale, shear X).

InGutter howtos

© Indiscripts.com | Nov. 2009

Sandbox

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porecturest illuptas eum nihilluptate expla sequae eturibus con rectae pra viderib eratemque nonse est qui volupta temoluptate la num re ni aliquat iandebibus escienda saest peris con cupta naturibus. Ebis et, volorec tioremq uibeate

voluptatqui dolor magnam quatquodi sa si natur, tempora ndelita spelian tinciendam. Landia eat que laut apis aut lia nonse dolorit aut in reperia cusam rem adi comnia ni voluptaerion non nobitatem exped qui dion nobissitat. Occum qui doluptaquam, to dis ellam faccuptum dolupta quam,



cum re opta dolestem quo expliqui aliue nistis dolectibus di doluptaspel ipitist. Berchilibus que est optatiust autem simintius quatur? Volorehenet que am ilia parupta conserion prem non ea quae etur, saperit, volupta erciisi quam simolum re sequi commimus, sunt.

About the Author

Am qui voluptate endae doluptio. Namus miniatisqui dolore plam, cusam et lisquatusam qui dusdae sinulla utaecio con natet eos dolorem illaborit verfers perspe lia velluptat utet de ipsusapide non culpa ius quo tem sectent optatia doluptam inient, verupta dollorum sequiam nestrum in ressimi ncillupdit officitas nobitas nonet

4

CHANGING COLORS AND APPEARANCE

1. InGutter allows you to control the **Color** and **Tint** of the background, and the **Color** and **Tint** of the rules. Simply select the corresponding fields / items from the script dialog.
2. To change the rule appearance and create interesting effects, increase the **Weight** of the rules and play with the **Type** options (Dotted, Dashed, Wavy, Hash...).
3. To **add a stroke**, close the script dialog, select the group with the Selection Tool and simply apply your settings from the Stroke and/or Swatches panel. (InGutter doesn't interfere with the stroke settings.)

- Do not use directly the Swatches panel to apply a color to the background. Since InGutter creates the "rule effect" through an underlying frame, it needs to keep the control.
- Known issue: InGutter will crash if you try to apply a tint to a Gradient Swatch.

InGutter howtos

© Indiscripts.com | Nov. 2009

Sandbox

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porectu- rest illuptas eum nihilluptate expla seuae eturibus con rectae pra viderib erattis- quat. Berchilibus que est optatiust

autem simintius quatur? Volore- henet que am ilia parupta conserion prem non ea quae etur, saperit, vo-

lupta ercisi quam simolum re sequi comnimus, sunt.

About the Author

Am qui voluptate endae doluptio. Namus miniatis-

qui dolore plam, cusam et lisquatu-

sam qui dusdae si- nulla utaecio con natet eos dolorem illaborit verfers perspe lia velluptat utet de ipsusapide non culpa ius quo tem sectent optatia doluptam inient, rum nima nos dis et optat modis diat.

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porectu- rest illuptas eum nihilluptate expla seuae eturibus con rectae pra viderib erattis- quat. Berchilibus que est optatiust

autem simintius quatur? Volore- henet que am ilia parupta conserion prem non ea quae etur, saperit, vo-

lupta ercisi quam simolum re sequi comnimus, sunt.

About the Author

Am qui voluptate endae doluptio. Namus miniatis-



5

REPAIRING OR REMOVING A RULE SET

1. If you break something by accident (by moving, resizing or resetting the text frame leaving aside its container) it's easy to get InGutter to restore the rule set:
 - make sure that the text frame (front) and the rule frame (back) are grouped;
 - select the group or the text frame;
 - run InGutter to make the rules fit the frame, then press OK.
2. To remove the rules, run InGutter, check **Destroy the rule set** and press OK.

■ After running the script InDesign CS4 users can reverse the whole operation using **Edit / Undo InGutter**.

InGutter howtos

© Indiscripts.com | Nov. 2009

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porecturest illuptas eum nihilluplate expla se quae eturibus con rectae pra viderib eratemque nonse est qui volupta temluptate la num re ni aliquat iandelibus escienda saest peris con cupta naturibus. Ebis et, volorec tioremq uibeate voluptatqui volor magnam quatquodi sa si natur,

temposa ndelita spelian tinciendam. Landia eat que laut apis aut lia nonse volorit aut in reperia cusam rem adi comnia ni voluptaerion non nobitatem exped qui dion nobis- sitat. Occum qui doluptaquam, to dis ellam faccupum dolupta quam, cum re opta dolestem quo expliqui aliique nistis dolectibus di doluptaspel ipitisquat. Berchilibus que est optatiust autem simintius quatur? Volorehenet que am ilia parupta

conserion prem non ea quae etur, saperit, volupta erciisi quam simolum re sequi commimus, sunt.

About the Author

Am qui voluptate endae doluptio. Namus miniatisqui dolore plam, cusam et lisquatusam qui dusdae si nulla utaectio con natet eos dolorem illaborit verfers perspe lia velluptat utet de ipsusapide non culpa ius quo tem sectent optatia doluptam

6

CREATING A “PERFORATED STAMP” EFFECT

1. Select a text frame and call InGutter.
2. Set the Gutter to 10 mm (or more) and set the Rule Offset to zero (center).
3. Set Location to All Rules.
4. Set the Weight to 20 pt, Overflow to 10 pt (=3.528 mm) and choose Japanese Dots.
5. Set Color to Paper and press OK.

■ InGutter allows you to attach creative effects to any text frame. Select the frame, run the script and tweak the rules!

■ You can also define your own rule types using the Stroke panel. in the panel menu, choose **Stroke Styles** and create a custom stroke style. From now on the new style is available in the InGutter **Type** list.

InGutter howtos

© Indiscripts.com | Nov. 2009

Overview

Xerum facerunt et volut qui dolut del iuntis aut as etum excea diciiss inihilibus int ipsam lit porecturest illuptas eum nihilluptate expla se- quae eturibus con rectae pra viderib eratemque nonse est qui volupta temoluptate la num re ni aliquat iandelibus esciendae saest peris con cupta naturibus. Ebis et, volorec tioremq uibeate voluptatqui volor magnam quatquodi sa si natur,

temposa ndelita spelian tinciendam. Landia eat que laut apis aut lia nonse volorit aut in reperia cusam rem adi commia ni voluptaerion non nobitatem exped qui dion nobis- sitat. Occum qui doluptaquam, to dis ellam faccupsum dolupta quam, cum re opta dolestem quo expliqui aliue nistis dolectibus di doluptas- pel ipitisquat. Berchilbus que est optatiust autem simintius quatur? Volorehenet que am ilia parupta

conserion prem non ea quae etur, saperit, volupta erciisi quam simo- lum re sequi commimus, sunt.

About the Author

Am qui voluptate endae doluptio. Namus miniatisqui dolore plam, cusam et lisquatusam qui dusdae si- nulla utaectio con natet eos dolorem illaborit verfers perse lia velluptat utet de ipsusapide non culpa ius quo tem sectent optatia doluptam.

7 ADDING TRANSPARENCY/ BENDING EFFECTS TO THE RULES

1. Select the group with the **Selection Tool** (V). (If needed, add some effects to the group itself.)
2. In the **Control panel** press successively the **Select content** and **Select next object** buttons in order to target the underlying “rule frame”.
3. In the **Effects panel**, double-click the **Text** row to have your effect settings applied to the rules. (In the screenshot above, we use **Pillow Emboss** to create a “needlework” effect.)

■ Remember that the rules rendered within the gutters belong to a text frame and emerge from **Paragraph rules**. That's why you need to select the Text level when applying effects to the rules.